



## Passive Mini DisplayPort to HDMI Adapter

Mini DisplayPort Male to HDMI Female, 1080p@60Hz, White

Part No.: 151399

EAN-13: 0766623151399 | UPC: 766623151399

# Easily connect a mini-DisplayPort source to an HDMI cable

The Manhattan Mini DisplayPort to HDMI Adapter establishes a fast and convenient connection between a mini-DisplayPort media source and an HDMI display cable. Ideal for presentations, retail displays and other uses, this single-cable solution keeps installations and workplaces neat and organized without an external power supply or complicated configuration. Nickel-plated contacts and full shielding help the Manhattan Mini DisplayPort to HDMI Adapter provide a clear and stable video transmission in home and office multimedia applications. A durable, white PVC jacket and molded boots with strain relief complement Macintosh systems and help ensure connections remain uninterrupted and steady.

#### **Features:**

- Connects a Mini DisplayPort source with an HDMI display cable
- Supports 1080p@60Hz resolution
- Delivers a single, high-quality signal to an HDMI display ideal for Mac computers
- Fully shielded to reduce EMI and other interference sources
- · Molded PVC boot and strain relief
- Lifetime warranty

#### **Specifications:**



### manhattan-products.com

#### Standards and Certifications

- UL 20276
- DisplayPort v1.2
- HDMI 1.3

#### General

- 8-bit and 10-bit Deep Color support
- 10.8 Gbps bandwidth
- Auxiliary channel support, 1 Mbps
- One-lane, one-direction, four-line connection support
- Passive

#### Connections

- Mini DisplayPort 20-pin male
- HDMI 19-pin female
- Nickel plated
- Molded PVC boot
- Shielded

#### Cable

- 30 AWG connectors
- Shielding: Mylar and aluminum
- Withstanding voltage: 300 VDC
- Insulation resistance: 5 MOhm
- Conductive resistance: 10 Ohm
- Thermal plastic casing
- Length: 12cm

#### Physical

- Length: 17 cm (6.7 in.)
- Weight: 0.05 g (0.12 lbs.)

#### Operating Environment

- Operation Temperature: 0 40°C (32 104°F)
- Storage Temperature: -20 60°C (-4 140°F)
- Humidity (noncondensing): 0 96%

#### System Requirements

- Windows XP/Vista/7/8/8.1/10, Linux or Mac 9.x/10.x or above
- DP++ (dual-mode) video/graphics card

#### **Package Contents**

Passive Mini DisplayPort to HDMI Adapter



## manhattan-products.com



